

FSCS ORDERING INFORMATION

RSD-GR-GP4-FSCS "Firefighters' Smoke Control Station" Graphic Face Method "Graphic Style" Size

Graphic Face Method

Graphic Method GP-4

- Display is a full color electronically printed lamination designed for Leds and Switches in the display.
- Lamination consists of a velvet textured polycarbonate face, reverse printed image and a 1/8" aluminum backing. The display is printed with pigmented inks, for long life, on OL94VO flame retardant grade lexan.
- Leds and Switches mount through holes in the display. Dead Front (DF) display is available, thereby making the Leds tamperproof.
- Ideal for Control Panels (FSCS), as Switches are mounted in the display.
- Rigidity of the panel allows its use on display in a range of 1-15 square feet
- · Available in full color at no additional charge.
- · Available with dry erase coating.

Graphic Method GP-6

- Display is a black screened image on clear anodized brushed aluminum or stainless steel.
- · Leds mount through holes in the display.
- The clear front pane is omitted to allow for switches in the display.
- · Additional charge for colors.

Other Information Required

· Backbox Mounting

Surface or Semi-flush mount

· Wiring

Hardwired - Please provide voltage and feed.

Drivers - Please provide model number of FACP and

driver model number..

Options

Switches

(See Switch Data Sheets in Accessories section for diagrams and pricing.) The switches listed below are kept in stock. Others are available to order.

Toggle Switches: Miniature (Pull Handle to Operate) ES2001 3 Position ON-OFF-ON 1 Pole Maintained ES2002 2 Position ON-ON 2 Pole Maintained ES2004 3 Position ON-ON-ON 1 Pole Maintained 16MM Selector Switches ES4000 3 Position ON-OFF-ON 1 Pole Maintained ES4006 2 Position ON-ON 1 Pole Maintained
ES2004 3 Position ON-ON-ON 1 Pole Maintained 16MM Selector Switches ES4000 3 Position ON-OFF-ON 1 Pole Maintained
16MM Selector Switches ES4000 3 Position ON-OFF-ON 1 Pole Maintained
ES4000 3 Position ON-OFF-ON 1 Pole Maintained
ES4000 3 Position ON-OFF-ON 1 Pole Maintained
ES4006 2 Position ON-ON 1 Pole Maintained
16MM Key Switches
ES4008 3 Position ON-OFF-ON 1 Pole Maintained
ES4007 2 Position ON-ON 1 Pole Maintained
16MM Pushbutton Switch
ES4002 2 Position ON-ON 1 Pole Momentary
E54002 2 Tosition Otv-Otv 1 Tole Wollichtary
22MM Selector Switches
ES3006 3 Position ON-OFF-ON 1 Pole Maintained
ES3005 2 Position ON-ON 1 Pole Maintained
22MM Key Switches
ES3004 3 Position ON-OFF-ON 1 Pole Maintained
ES3003 2 Position ON-ON 1 Pole Maintained
22MM P. 11 44 6 24 1
22MM Pushbutton Switch ES3008 2 Position ON-ON 1 Pole Maintained
ESSOUS 2 POSITION OIN-OIN I POIE IVIAINTAINED
Key Switches (Chrome Finish) .912 DIA.
ES1061 2 Position ON-ON 1 Pole Maintained
ES1062 3 Position ON-ON-ON 1 Pole Maintained
ES1063 2 Position ON-ON 1 Pole Momentary
ES1059 2 Position OFF-ON 1 Pole Maintained
(Key Enable)
Key Switch (Chrome Finish) .912 DIA
Lamptest Matching Key with Door Lock
ES1004 2 Position OFF-ON 1 Pole Momentary

- Extra Colors GP6 Method Only
- Stainless Steel Door standard on RSF and RSF-L
- Dry Erase Coating
- · Power On Led

06301135